



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	ALARIS	Logo				
Company name *	Kodak Alaris Holdings Limited					
Contact information * e-mail address	Dr Greg Batts gregory.n.batts@kodakalaris.com	Alaris a Kodak Alaris business				
Internet site *	www.kodakalaris.com					
Additional information	Kingdom offering a wide range of scanners from desktop, depart Alaris was formed in 2013 as a spin-off from the Eastman Kodal Buyers Laboratory (BLI), the world's leading independent evalua- software, and services, announced that Kodak Alaris won their	usiness of the Kodak Alaris Holdings Limited parent company registered in the United ing a wide range of scanners from desktop, departmental to production models. Kodak med in 2013 as a spin-off from the Eastman Kodak Company. In January 2020 the story (BLI), the world's leading independent evaluator of document imaging hardware, services, announced that Kodak Alaris won their coveted 2020 Scanner Line of the Year fourth time in five years. Given once a year, this award recognises the vendor whose				

	based on product specification or test results based obtained from sample testing), that the product onts given in this declaration.
Type of product *	Scanner
Commercial name *	ALARIS
Model number *	E1025
Issue date *	1 st May 2020
Intended market *	☐ Global X Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	The Alaris E1025 desktop business scanner and imaging software provides a solution to greatly reduce unmanaged paperwork at home or the office. Ideal for financial advisors, healthcare clinics, or customer service counters, this is a cost-effective solution to capture and send documents. The E1025 is compact, efficient, accurate, and reliable to help do more with information and meets the EPEAT Ecolabel Silver Criteria and Energy Star.
	Compliance testing for CE marking was carried out on this scanner at one of the external Test Houses we use in the most challenging arrangement and the EU Declaration of Conformity (DoC) issued accordingly.
	Annex-B1 is more appropriate than B2 as we are declaring the environmental attributes of the scanner to process images from hard copies in a variety of digital formats.

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	E1025	Logo	
Issue date *	1 st May 2020		Alaris a Kodak Alaris business

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
D4.0*	Comment: Legal reference has no maximum concentration value.		$\overline{}$	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	X	Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X	\Box	
	terphenyl (PCT) in preparations (see legal reference).	^	ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	Χ	\Box	
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	Χ		
	(see legal reference).		_	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	gregory.n.batts@kodakalaris.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			X
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			X
D0.0*	reference)		$\overline{}$	V
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		<u>Ц</u>	X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	www.kodakalaris.com/company/environment-health-and-safety The product complies with the applicable Eco design Requirements for Energy-Related Products,	X	$\overline{}$	
F3.2	(see legal reference).	^	Ш	
	Required information is; given in item P15 or added to this document,	Χ		
	X available at (add URL):		ш	
	www.kodaklaris.com/company/environment-health-and-safety			
	The second secon			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			X
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see		Ш	X
D4.0*	legal reference)		_	· ·
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			X
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	Χ	П	
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	X		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).			
De	Comment: Legal reference has no maximum concentration values.			
P6 P6.1*	Treatment information Information for recyclers/treatment facilities is available (see legal reference)	X		
F 0. I	Information for recyclers/treatment facilities is available (see legal reference).	^		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	E1025	Logo	-
Issue date *	1 st May 2020		Alaris a Kodak Alaris business

	environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Pogu	iromor	t mot
			iremen	
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Design	res	No n	.a.
Ε/	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	Х	\dashv	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	Х	\dashv	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	Х	\dashv	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	Х	$\overline{}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	Χ		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Material type			
P7.12	Insulation materials of external electrical cables are PVC free.	X		
P7.13	Insulation materials of internal electrical cables are PVC free.	X		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		×	×
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			Х
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:)		X	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			Х
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 6.4 g.		_	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	E1025	Logo	
Issue date *	1 st May 2020		Alaris a Kodak Alaris business

Product	environmental a	attributes - Market red	quirements (co	ntinued)	R	equi	remen	t met
Item				•		Yes		n.a.
	Material and sub	stance requirements (c	ontinued)					
P7.21*	Biobased plastic	material content is used i	n the product (See	e NOTE B7):			X	
	-,	ne of the two alternatives						
			he biobased plast	ic material content (calcul	ated as a percentage of			
	or	by weight) is %.						
		of the biobased plastic ma	aterial is g.					
P7.22*		free from mercury, i.e. le d specify: Number of lamp		mp. ximum mercury content pe	er lamp: mg	X		
P8	Batteries							
P8.1*	Battery chemical							Χ
P9		ption (See NOTE B8)						
P9.1	For the product the	ne following power levels	or energy consum	ptions are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		energy	
	de for ENERGY perational Mode	W	W	0.315 W	Energy Star V2.0			
(OM) prod	•							
	ff mode for	W	W	0.315 W	Energy Star V2.0			
ENERGY :	STAR Operational							
	for ENERGY STA	R kWh/week	kWh/week	kWh/week				
	ucts (TEC= Typical		,					ш
Energy Co	onsumption)							
Peak (on N	Maximum)	W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External P	ower Supply Efficie	ency Level (International E	Efficiency Marking	Protocol) *V:				
Print/Scan	Speed *	: 25 images per minute			Alaris Manual			
Default tim	ne to enter energy s	save mode: 14.8 minutes			Energy Star V2.0			
P9.2*	Information about	t the energy save function	n is provided with t	the product.		X		
P10	Emissions							
D40.4		 Declared according to I 	SO 9296 (See NC	/	- lab (- d d d d d d d d d d d d d d d d d d d			
P10.1	Mode	Mode description		Statistical upper limit A-v $L_{WA,c}$ (B)	reignted sound power iev	eı,		
	Idle	* Idle		* 32.1 dBA				
	Operation	* Operating B/W 200dp		* 54.4 dBA				
	Other mode	Operating Colour 600	•	48.4 dBA				
	Measured accord	ling to: ISO 7779 ECMA-7						
			X Other ISO 7779	(only if not covered by E	CMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	E1025	Logo	
Issue date *	1 st May 2020		Alaris
			a Kodak Alaris business

Product	roduct environmental attributes - Market requirements (continued)						Require	ment	met	
Item								Yes	No	n.a.
	Chemical emissions from									
P10.2*	Test performed according to			Chemical Emis	sion Rate	es from E	Electronic			X
	Equipment (ISO/IEC 28360)									
P10.3	Typical emission rate (opera	ition phase) is (m	ng/h):							X
	Electrophotographic devices	: Ozone	Dust	Styrene	Benz	zene	TVOC			X
	Ink devices:		Dust	Styrene	Ben	zene	TVOC			X
	Note: compliance with maxing	num emission ra	ites in eco lab	els to be declar	red in P1	4.				
P11	Consumable materials for									
P11.1*	A Safety Data Sheet (SDS)	is available for th	ne ink/toner pr	eparation, ever	n if not le	gally requ	uired (see P4.3).			X
P11.2*	Paper containing post-cons EN 12281.	umer recycled f	ibers can be	used, provide	d that it	meets t	he requirements of			Х
P11.3*	1.3* 2-sided (duplex) printing/copying is an integrated product function. (Where feasible)					X				
P11.4*	1.4* The product is delivered to end-user with default auto-duplex enabled. (Printers with duplex functionality)					X				
P13	Packaging and documentation									
P13.1*	Product packaging material			(kg): 0.813						
	Product packaging material Product packaging material		weight weight	(kg): 0.0435						
P13.2*	Product plastic primary pack			(1.9)				X		\Box
P13.3*	For product primary corrug	ated fiberboard	packaging, s	pecify the cont	ained pe	ercentage	of minimum post-			X
	consumer recovered fiber co	ontent: 100 %	,				·			
P13.4*	Specify media for user and p	product documer	ntation (tick bo	ox):						
	Electronic X Paper X, Other									
P13.5	(Please only complete this it									
	User and product document If Yes, please specify:	ation on paper m	iedia is chlorir	ne-free:				X	Ш	
								V		
	Totally chlorine-free Elemental chlorine-free							$\stackrel{\wedge}{\sqcap}$		
	Processed chlorine-free							H		
P14	Voluntary programs:									
P14.1	The product meets the requi	rements of the fo	ollowing volun	tary program(s):					
	ENERGY STAR®	Criteria versior	n: V2.0	Date: Sept	2014	Product	category: Imaging	Equipme	ent	
	Eco-label: <i>EPEAT</i>	Criteria versior	-	Date: Apr			category: Scanner			
	Eco-label:	Criteria versior	n:	Date:		Product	category:			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	E1025	Logo	
Issue date *	1 st May 2020		Alaris
			a Kodak Alaris business

Produc	ct environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
15.1	Kodak Alaris has a well-established system for collecting all its electrical and electronic equipment, e.g. scanners, or stations, kiosks, monitors and printers, placed on the market in Europe and scanners in the USA. We have an extens service organisation with excellent availability of spares such that we can upgrade scanners several times during the working lives to avoid the items becoming wastes too early. When the user no longer wants our scanners or has more to a new model our End of Life (EoL) partners in the EEA countries collect and treat the equipment as WEEE.	
15.2	The Alaris E1025 and all our 28 scanners on the market, comply with the EPEAT EcoLabel Silve demonstrates our commitment to environmental issues. We are working to gain the gold level is several scanners in 2020. In addition, all our scanners have USA EPA Energy Star compliance a features when not in operational mode.	EPEAT recognition for
15.3	This scanner is designed for use on a desk having a small physical footprint 0.204m x 0.312m (w x d) and is only 0.183r high. It has a mass of 3.3kg	
15.4	All our scanners are designed in-house under our global product stewardship ISO 14001:2015 (Management System. Furthermore, every Alaris scanner placed on the market is manufactured ISO 9001:2015 certified facilities.	
	Please note that Kodak Alaris Holdings Limited (KAHL) makes no representations, guarantees, whether express or implied, regarding the information contained in this document. All informat this document is provided based on the supplier's knowledge available at the time of completio no obligation to update such information. Some of the information provided here is approximatinformational purposes only, since user operation can change some of the figures.	ion provided by KAHL in n, and KAHL shall have

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Specific exemptions apply for certain products and applications. Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P1.1, P3.1, P4.1 P1.2, P1.4, P1.6, P1.7, P4.2 P1.10
Regulation), annex XVII Commission Regulation (EC) 1907/2006 (REACH P1 Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH P4 Regulation), Article 31, annex II)	21.10
Regulation), annex VII Commission Regulation (EC) 1907/2006 (REACH P4 Regulation), Article 31, annex II)	
Regulation), Article 31, annex II)	24.3
Commission Population (EC) No. 2027/2000	
2038/2000, 2039/2000, (Marketing and use of Ozone ayer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use P1 f certain dangerous chemicals 20.12.2002	21.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	23.1
Directive 2014/30/EU (EMC Directive)	23.1
Directive 2014/53/EU (RE Directive)	23.1
Commission Regulation (EC) No 1275/2008 mplementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign equirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	23.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic nousehold and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign equirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	23.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP P4 Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	25.1
Decision 97/129/EC (Secondary packaging legislation)	25.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each	
Member State	